



**MEDITERRANEA**  
*Step Into Your World*

**B A C K W O O D S**

*Italian Design & Craftsmanship*

M A D E I N U S A



DYNAMIC **HD** IMAGING®

HIGH DEFINITION INKJET PORCELAIN

K E N T U C K Y  
B O U R B O N



6" X 36"  
Rectified



DYNAMIC **HD** IMAGING®

HIGH DEFINITION INKJET PORCELAIN

C O U N T R Y  
O A K



6" X 36"  
Rectified



L E A T H E R  
S A D D L E



6" X 36"  
Rectified



DYNAMIC **HD** IMAGING®

HIGH DEFINITION INKJET PORCELAIN







# B A C K W O O D S

In creating its latest porcelain tile series, Mediterranea took inspiration from Mother Nature herself in designing the BACKWOODS collection. This unique porcelain tile collection unveils the unmatched look & feel of true natural wood bark unbound by its rich elements and textures. Backwoods features a unique blend of detailed wood graphics and natural colorations that bring you closer to the warmth and intense beauty of nature with every step.

Backwoods features extraordinary true-to-life wood graphics usually only seen by the lumberjacks fresh trunk cuts that take place early in the wood harvesting process. Mediterranea utilized its Dynamic HD Imaging™ design process to maximum capacity, highlighting every detail of wood grain and texture, with the aim of bringing the splendid outdoors into your own living space.

Manufactured in the popular 6" x 36" size, Backwoods is offered in 3 colors – Country Oak, Leather Saddle and Kentucky Bourbon. Each tile is rectified for a precision installation, allowing for small grout joints and a truly authentic look.

Leave your hiking boots and poles in the deep forest -- and begin your next outdoor adventure in the comfort of your own home with Mediterranea's all-new Backwoods collection.

TECHNICAL SPECIFICATION TABLE			
PHYSICAL PROPERTIES		TEST	AVG. RESULTS
	Visible Abrasion Resistance	ASTM C1027	4
	Water Absorption	ASTM C373	0.40%
	Staining Resistance	ASTM C650	Class A
	Dynamic C.O.F.	BOT 3000	.50
	MOHS		7
	Breaking Strength	ASTM C648	476 lbf

[www.mediterranea-usa.com](http://www.mediterranea-usa.com)

